

Umbriano®

The natural look and feel of granite.

Unilock's Umbriano is the ideal product for virtually any landscaping project. With its non-slip surface and stain resistant properties, it is ideal for walkways, patios or pool decks. Umbriano may be used in driveways or in high traffic areas if the correct sizes and laying patterns are installed. (see "Important Information" tab below)

Umbriano is engineered specifically to out-perform the majority of paving stones available today. With its extremely dense molecular composition, it is unaffected by chlorine or salt pool water, and is resistant to de-icing salt erosion.

The clean sharp edges of Umbriano are favored among architects and designers to add a contemporary or modern touch to any project.

Colors



Autumn Sunset



Midnight Sky



Summer Wheat



Winter Marvel



French Grey

New for 2016
Available in Random Bundle
Only

Shapes & Sizes



24" x 24" x 2.75"
Special Order
60 cm x 60 cm x 7 cm
23.5" x 23.5" x 2.75"



12" x 24" x 2.75"
Special Order
60 cm x 30 cm x 7 cm
23.5" x 11.75" x 2.75"



16" x 16" x 2.75"
40 cm x 40 cm x 7 cm
15.75" x 15.75" x 2.75"



8" x 16" x 2.75"
40 cm x 20 cm x 7 cm
15.75" x 7.75" x 2.75"



8" x 8" x 2.75"
20 cm x 20 cm x 7 cm
7.75" x 7.75" x 2.75"



Large Rectangle (6cm)
Sold in 6cm Random
Bundle Only
52.5 cm x 35 cm x 6 cm
20.5" x 13.75" x 2.25"



Square (6cm)
Sold in 6cm Random
Bundle Only
35 cm x 35 cm x 6 cm
13.75" x 13.75" x 2.25"



Small Rectangle (6cm)
Sold in 6cm Random
Bundle Only
35 cm x 17.5 cm x 6 cm
13.75" x 6.75" x 2.25"

Why Choose **ENDURACOLOR^{PLUS}**

This product features EnduraColor™ Plus, a proprietary blended layer of nature's highest performing minerals that never fade. It virtually outperforms any other paver surface when it comes to surface wear, color retention and its ability to repel even the nastiest staining substances. Choosing EnduraColor Plus, will ensure your patio, driveway, outdoor kitchen or pool deck will look like new, even after years of wear and tear.

EasyClean™ STAIN RESISTANCE

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

Design Combinations

The finishing touches to your project lies in the exceptional borders and accents that you incorporate into your landscape features. Looking for more options the pictures featured on the right? Create your own design combinations by clicking the button below!

Create Your Own



[Learn About Umbriano](#)

[Umbriano Torture Test](#)

Features

Applications

Borders & Accents

Commercial Vehicular

Pedestrian

Residential Vehicular

Technologies

ColorFusion™ Technology

Random surface colour for a natural granite-like appearance.

EasyClean™ Technology

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.


EnduraColor™ Plus

EnduraColor Plus is the defining difference when it comes to superior wear resistance and color longevity. EnduraColor Plus is not a coating or secondary treatment, but rather a proprietary blended layer of nature's highest performing minerals (which never fade) that have been embedded right into the surface of each stone during the manufacturing process. This ensures that the surface will not fade, crack, peel or delaminate, and the beauty of your project will last a lifetime.

Surface Texture


Smooth - Zero Bevel

Patterns




Umbriano A

16" x 16" (57%)
 8" x 16" (29%)
 8" x 8" (14%)




Umbriano B

16" x 16" (67%)
 8" x 16" (22%)
 8" x 8" (11%)




Umbriano C

16" x 16" (54%)
 8" x 16" (37%)
 8" x 8" (9%)




Umbriano D

16" x 16" (57%)
 8" x 16" (29%)
 8" x 8" (14%)



Umbriano E

24" x 24" (33%)
 12" x 24" (33%)
 16" x 16" (15%)
 8" x 16" (15%)
 8" x 8" (4%)



Umbriano F

24" x 24" (40%)
 12" x 24" (20%)
 16" x 16" (18%)
 8" x 16" (18%)
 8" x 8" (4%)



Umbriano H

24" x 24" (45%)
 16" x 16" (40%)
 8" x 16" (10%)
 8" x 8" (5%)

Packaging

	Unit Thickness	Sq. Ft. Bndl.	Sq. Ft. Layer	Layers Bndl.	Ln Ft Sec. Soldier	Ln Ft Bndl. Soldier	Ln Ft Sec. Sailor	Ln Ft Bndl. Sailor	Units Sq. Ft.	Lbs Bndl.	Lbs Sec.	Units Bndl.
24" x 24" x 2.75" Special Order	7	61.79	7.72	8	3.94	31.5	3.94	31.5	0.26	1979	247	16
12" x 24" x 2.75" Special Order	7	93	11.63	8	5.90	47.2	11.81	94.5	0.52	3142	393	48
16" x 16" x 2.75"	7	82.67	10.33	8	7.88	63	7.88	63	0.58	2797	350	48
8" x 16" x 2.75"	7	82.67	10.33	8	7.88	63	15.75	126	1.16	2746	343	96
8" x 8" x 2.75"	7	82.67	10.33	8	15.75	126	15.75	126	2.32	2647	331	192
6cm Random Bundle	7	93.62	10.40	9	-	-	-	-	2.32	2540	282	-
Large Rectangle (6cm) Sold in 6cm Random Bundle Only	6	-	-	-	-	21.3	-	-	0.48	-	-	18
Square (6cm) Sold in 6cm Random Bundle Only	6	-	-	-	-	31.8	-	-	0.72	-	-	27
Small Rectangle (6cm) Sold in 6cm Random Bundle Only	6	-	-	-	-	15.9	-	-	1.43	-	-	27

Additional Umbriano® Information

Product is not sectionable. *24" x 24" and 12" x 24" are not available in half bundles. Sold on a refundable skid. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Take extra care when using Polymeric Sand with this product. Call for more information.

Important Information

Umbriano is the ideal pool deck, patio or driveway paver. Umbriano is unaffected by chlorine, salt pool water, and is resistant to de-icing salts as well. The clean, sleek, and modern lines make it the most contemporary paver available. Umbriano also has EasyCleantechnology allowing for quick cleanup of food and other dirty spills!

Base Requirement & Bedding Course – standard paver base specification

Handling and Installation– A vacuum placement tool (Pavemor Paver Placer) must be used when placing 16" x 16" or 24" x 24" sizes. Care must be taken to avoid tossing stones so that they bang against each other. Damage to the surface appearance can happen if handled too rough. A protective pad is required when doing the final paver surface compaction. Make sure that there is NO sand on the surface nor in the joints prior to final surface compaction. Install from multiple pallets for best color distribution.

Accent compatibility – The 8 x 16 and the 8 x 8 units can be used as a sailor course or soldier course.

Jointing Material and Joint Stabilization

- o Good: Ordinary dry joint sand
 - o Better: Most polymeric sands can be used (proper cleaning is essential prior to and during activation)
- o Best: ordinary dry joint sand stabilized by a water-based or solvent based joint sand stabilizer sealer.

Sealers

- o Product may be sealed but it is not absolutely required
- o Most concrete paver sealers can be used on this product
- o Product must be cleaned before sealing

Cleaners –Umbriano has EasyClean, a dirt and stain repellent, manufactured directly into the surface of the stone, assists in cleanup of initial spills and stains. Longer term stains may require a cleaner. Any paver cleaner from Unilock, Techniseal, Surebond or BP- Pro is acceptable. Testing a small area is recommended to ensure acceptable results.

Special note: To avoid issues with height variance, do not use as a direct overlay on concrete.

Caution: When using unit sizes larger than 8" x 8" in a vehicular application, please contact a Unilock Representative for technical advice and support. (Damage may occur to larger units if used for incorrect applications.)

All measurements are nominal

Colors, product data, and availability are subject to change without notice. Please confirm all details with your local Unilock Dealer or call 1-800-UNILOCK (1-800-864-5625) for availability in your area. The colors shown should only be used as a guide. Final color selections should always be made from actual samples.